



haberdashery
Contemporary Collection



haberdashery

Contemporary Collection

Award-winning products built
around abstracted narratives and
the intelligent use of technology.




Poetry in light

Our experimental philosophy

Haberdashery is an award-winning London based design studio focused on the perpetual appeal of light, explored through sculptural installations for over a decade, and now expressed through our ranges of contemporary products.

We weave our designs around the universal language of light that resonates with the human spirit; the results are products with character, built around poetic narratives and the intelligent use of technology.

PHOTO RIGHT
BY TIM MEYER
ON UNSPLASH





Flux

An infinite cascade of light

IMAGE RIGHT
FLUX
MEDIUM CIRCLE · 24
(CUSTOM DROP LENGTH)







FLUX
MEDIUM CIRCLE - 24







Introvert Extrovert

One object;
two states of being

IMAGE RIGHT
INTROVERT EXTROVERT
CLUSTER









INTROVERT EXTROVERT
MEDIUM (EXTROVERT STATE)



INTROVERT EXTROVERT
MEDIUM (EXTROVERT STATE)



After Dark


Evoking the memory
of the city at night


IMAGE RIGHT
AFTER DARK
LARGE





AFTER DARK
SMALL







AFTER DARK
SMALL



AFTER DARK
SMALL



Dawn to Dusk

Evoking the memory
of sunrise to sunset

IMAGE RIGHT
DAWN TO DUSK
TABLE LAMP



reddot winner 2019
best of the best

2019 PLATINUM
EUROPEAN
PRODUCT
DESIGN
AWARD

2019 GOLD
EUROPEAN
PRODUCT
DESIGN
AWARD



DAWN TO DUSK
TABLE LAMP





DAWN TO DUSK
TABLE LAMP



DAWN TO DUSK
FLOOR LAMP



DAWN TO DUSK
TABLE LAMP



Dawn to Dusk

Wall mounted

IMAGE RIGHT
DAWN TO DUSK
WALL MOUNTED





DAWN TO DUSK
WALL MOUNTED
OFF STATE



DAWN TO DUSK
WALL MOUNTED



Canopy

Evoking the memory
of sunlight in a forest

IMAGE RIGHT
CANOPY
450 x 300








Flux · Details

Available in 3 standard tube lengths, custom configurations can be created by using a combination of these tube lengths or multiples of a single size.

Fine gold, silver or black braided cables power and suspend the glass tubes from the ceiling. Cables are attached to the tubes using specially designed threaded hubs available in either gold plated, silver plated or anodised matt black. (see page 56 for further details).

Flux cables are fixed into ceilings using minimal, powder coated ceiling plates. Alternatively, our in-house design team can produce custom fixing solutions for more challenging spaces.



Flux · General Electrical Specs

Certification : CE	Dimmable : Dali / 0/1-10V
Light source : Integrated LED	Power requirements : 110-240V
Operating Voltage : 24V	

Flux · Standard Compositions

Flux · Large Circle · 30

Ceiling Plate Dimensions Ø 1450mm	Materials / Finishes Glass tubes Gold, silver or black braided cable Gold plated, silver plated or matt black anodised end caps Black or white powder coated ceiling plate <i>(see pages 56-57)</i>	Lumen output 0 - 2160 Lumen per tube (≈157W) 80 CRI, 2700 K Operating Watts 1500W Weight 90kg	
--------------------------------------	--	---	--

Flux · Medium Circle · 24



Ceiling Plate Dimensions Ø 1050mm	Materials / Finishes Glass tubes Gold, silver or black braided cable Gold plated, silver plated or matt black anodised end caps Black or white powder coated ceiling plate <i>(see pages 56-57)</i>	Lumen output 0 - 2160 Lumen per tube (≈157W) 80 CRI, 2700 K Operating Watts 1300W Weight 70kg	
--------------------------------------	--	---	--

Flux · Small Circle · 12



Ceiling Plate Dimensions Ø 800mm	Materials / Finishes Glass tubes Gold, silver or black braided cable Gold plated, silver plated or matt black anodised end caps Black or white powder coated ceiling plate <i>(see pages 56-57)</i>	Lumen output 0 - 2160 Lumen per tube (≈157W) 80 CRI, 2700 K Operating Watts 450W Weight 35kg	
-------------------------------------	--	--	--

Introvert Extrovert · *Pendants*



Introvert Extrovert · *Pendant · Large*

Dimensions W 750 x D 705 x H 710mm	White powder coated aluminium rings & rose White braided cable <i>(see pages 56-57)</i>	<i>Glass dimensions</i> 	<i>Installed dimensions</i> 
Standard Drop 860 – 2710mm <i>custom drop lengths available on request, (Based on 45° hanging angle)</i>	Lumen output 0 - 2200 Lumen (≈150W) 90 CRI, 2700 K		
Materials / Finishes Acid-etched glass body	Weight 9kg		

Introvert Extrovert · *Pendant · Medium*

Dimensions W 625 x D 590 x H 590 mm	White powder coated aluminium rings & rose White braided cable <i>(see pages 56-57)</i>	<i>Glass dimensions</i> 	<i>Installed dimensions</i> 
Standard Drop 740 – 2590mm <i>custom drop lengths available on request, (Based on 45° hanging angle)</i>	Lumen output 0 - 2200 Lumen (≈150W) 90 CRI, 2700 K		
Materials / Finishes Acid-etched glass body	Weight 6.5kg		

Introvert Extrovert · *Pendant · Small*


Dimensions W 500 x D 479mm x H 480mm	White powder coated aluminium rings & rose White braided cable <i>(see pages 56-57)</i>	<i>Glass dimensions</i> 	<i>Installed dimensions</i> 
Standard Drop 630 – 2480mm <i>custom drop lengths available on request, (Based on 45° hanging angle)</i>	Lumen output 0 - 1200 Lumen (≈75W) 90 CRI, 2700 K		
Materials / Finishes Acid-etched glass body	Weight 4.5kg		

Introvert Extrovert · *General Electrical Specs*


Certification : CE	Operating Watts : 24W
Light source : Integrated LED	Dimmable : Dali / 1-10V / Triac
Operating Voltage : 24V	Power requirements : 100-240V

After Dark · *Pendants*

After Dark · *Pendant · Large*

Dimensions W 306 x D 527 x H 690mm	Lumen output 403 Lumen (≈36W) 90 CRI, 2700 K	
Standard Drop 1115 –1640mm <i>custom drop lengths available on request</i>	Operating Watts 20W	
Materials / Finishes Dark grey smoked glass body Matt black anodised suspension rod & rose <i>(see pages 56-57)</i>	Weight 7.5kg	

After Dark · *Pendant · Small*


Dimensions W 115 x D 114 x H 590mm	Lumen output 302 Lumen (≈27W) 90 CRI, 2700 K	
Standard Drop 740 – 2590mm <i>custom drop lengths available on request</i>	Operating Watts 12W	
Materials / Finishes Dark grey smoked glass body Matt black anodised rose Black PVC cable <i>(see pages 56-57)</i>	Weight 3.5kg	

After Dark · *General Electrical Specs*


Certification : CE	Dimmable : Dali / 1-10V / Triac
Light source : Integrated LED	Power requirements : 100-240V
Operating Voltage : 24V	

Dawn to Dusk · *Lamps*

Dawn to Dusk · *Table Lamp*

Dimensions W 210 x D 125mm x H 740	Lumen output 0 - 2000 Lumen (≈150W) 90 CRI 1000 - 4000 K	
Materials / Finishes Black anodised aluminium base and stand White polycarbonate diffuser (see pages 56-57)	Weight 4.15kg	

Dawn to Dusk · *Floor Lamp*


Dimensions W 210 x D 160mm x H 1820	Lumen output 0 - 2000 Lumen (≈150W) 90 CRI 1000 - 4000 K	
Materials / Finishes Black anodised aluminium base and stand White polycarbonate diffuser (see pages 56-57)	Weight 8.75kg	

Dawn to Dusk · *Lamps · General Electrical Specs*

Certification : CE & UL	Operating Watts : 24W
Light source : Integrated LED	Dimmable : No
Operating Voltage : 24V	Power requirements : 100-240V

Dawn to Dusk · *Lamps*

Dawn to Dusk · *Wall Mounted Lamp*

Dimensions Ø 1000mm x D 135mm	<i>Product dimesions</i> 	<i>Installed dimensions</i> 
Materials / Finishes Matt white Corian® diffuser (see pages 56-57)		
Lumen output 0 - 25,000 Lumen 90 CRI 1000 - 4000 K		
Weight 25kg		


Dawn to Dusk · *Wall Mounted Lamp · General Electrical Specs*

Certification : CE	Operating Watts : 350W
Light source : Integrated LED	Dimmable : No
Operating Voltage : 24V	Power requirements : 100-240V

Canopy · *Pendants*


Canopy · *Pendant · 300*

Dimensions Ø 300 x 220mm	Black braided cable Gold or silver anodised patterned mesh (see pages 56-57)
Standard Drop 370 – 2200mm custom drop lengths available on request	
Materials / Finishes Mouth-blown lead crystal shade Matt black anodised hub & rose	Lumen output 600 Lumen (≈40W) 90 CRI, 2700 K Weight 3.55kg



Canopy · *Pendant · 450*

Dimensions Ø 450 x 220mm	Black braided cable Gold or silver anodised patterned mesh (see pages 56-57)
Standard Drop 370 – 2200mm custom drop lengths available on request	
Materials / Finishes Mouth-blown lead crystal shade Matt black anodised hub & rose	Lumen output 600 Lumen (≈40W) 90 CRI, 2700 K Weight 5.15kg



Canopy · *General Electrical Specs*

Certification : CE	Operating Watts : 12W
Light source : Integrated LED	Dimmable : Dali / 1-10V / Triac
Operating Voltage : 12V	Power requirements : 100-240V

Canopy · *Clusters*

Canopy · *Cluster · Large*

Ceiling Plate Dimensions Ø 850mm	Materials / Finishes Mouth-blown lead crystal shade Matt black anodised hub & rose Black braided cable Black powder coated ceiling plate Gold or silver anodised patterned mesh (see pages 56-57)	Lumen output 3600 Lumen (≈225W) 90 CRI, 2700 K Operating Watts 72W Weight 49kg (approx)	
--	---	---	--

Canopy · *Cluster · Medium*

Ceiling Plate Dimensions Ø 700mm	Materials / Finishes Mouth-blown lead crystal shade Matt black anodised hub & rose Black braided cable Black powder coated ceiling plate Gold or silver anodised patterned mesh (see pages 56-57)	Lumen output 3000 Lumen (≈185W) 90 CRI, 2700 K Operating Watts 60W Weight 45kg (approx)	
--	---	---	--

Canopy · *Cluster · Small*

Ceiling Plate Dimensions Ø 550mm	Materials / Finishes Mouth-blown lead crystal shade Matt black anodised hub & rose Black braided cable Black powder coated ceiling plate Gold or silver anodised patterned mesh (see pages 56-57)	Lumen output 2400 Lumen (≈150W) 90 CRI, 2700 K Operating Watts 48W Weight 40kg (approx)	
--	---	---	--

Metals



Gold plated metal

(Flux)



Silver plated metal

(Flux)



Gold anodised
patterned mesh

(Canopy)




Silver anodised
patterned mesh

(Canopy)



Matt black anodised

(After Dark, Canopy, Dawn to Dusk
lamps & Flux)



Black powder coated
aluminium

(Canopy Cluster & Flux)



White powder coated
aluminium

(Flux & Introvert Extrovert)

Braided cable



Gold coloured braided cable

(Flux)



Silver coloured braided cable

(Flux)



Black braided cable

(Canopy & Flux)



White braided cable

(Introvert Extrovert)

Plastics



White polycarbonate

(Dawn to Dusk lamps)



Matt white Corian®

(Dawn to Dusk wall mounted)



Black pvc cable

(After Dark Small)

Glass



Mouth blown lead crystal

(Canopy)



clear glass

(Flux)



Dark grey smoked glass

(After Dark)



Acid Etched glass

(Introvert Extrovert)



Contact us

For enquiries please contact us.

products@haberdashery.com

+44 (0) 207 503 7080

haberdashery.com/contemporary

haberdashery.com/stockists

  haberdasheryltd

DESIGN BY HABERDASHERY / ALL IMAGE RIGHTS RESERVED HABERDASHERYLONDON LTD 2021
IF YOU REQUIRE ANY OF THE IMAGES IN THIS MAGAZINE THEN PLEASE CONTACT GRAPHICS@HABERDASHERY.COM
HABERDASHERYLONDON LTD IS A LIMITED COMPANY REGISTERED AT BEESONS YARD, RICKMANSWORTH, LONDON / COMPANY NO. 07418647

